



15

CREDIT CARD DATABASE ...

```
$ ./extract_cards.sh --neural-overri...
```

execute(

BYP

ACC

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

BYP

NET

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

CRK

DATA

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

FINANCIAL



35

DEAD DROP CACHE

ENC

```
$ ./exfiltrate_data.sh --null-termin...
```

execute(

BRK

PIPE

)

[OK] EXECUTED: 0xF00D42

execute(

CRK

DATA

)

[OK] EXECUTED: 0xD4EAD0

execute(

HKT

INFO

)

[OK] EXECUTED: 0xFACADE

decrypt(

BYP

LOCK

)

[OK] DECRYPTED // KEY: 0xD4EAD0

DARK WEB



25

MSPAIN.TEXE PAYLOAD

CLASSIFIED

```
$ ./malware_drop.sh --ghost-protocol...
```

execute(

HKT

AUTH

)

[OK] EXECUTED: 0xDEAD01

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xFACE42

execute(

BRK

INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

bypass(

BYP

MEM

)

[OK] BYPASSED // ADDR: 0xF00D42

GOVERNMENT



20

ETHEREUM WALLET PRIV...

NO LOG

```
$ ./extract_keys.sh --black-hat --ne...
```

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xB4B300

execute(

BRK

AUTH

)

[OK] EXECUTED: 0xM3M000

execute(

HKT

BASE

)

[OK] EXECUTED: 0xDEFE7

execute(

BYP

DATA

)

[OK] EXECUTED: 0xDECE0E

DARK WEB



35

WINLOGON.EXE SECURIT...

CLASSIFIED

```
$ ./extract_token.sh --zero-cool --n...
```

execute(

BRK

CORE

)

[OK] EXECUTED: 0xBEEFED

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xC0FFEE

execute(

HKT

AUTH

)

[OK] EXECUTED: 0xB45E00

execute(

BYP

DATA

)

[OK] EXECUTED: 0xA11CE0

GOVERNMENT



25

MSCONFIG.EXE

EXP: --

```
$ ./auto_update.sh --ghost-protocol ...
```

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xFF000

execute(

CRK

AUTH

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

CRK

FILE

)

[OK] EXECUTED: 0xM3M000

GOVERNMENT



20

SAM HIVE BACKUP

LIVE

```
$ ./sam_backup.sh --encrypt-soul --s...
```

decrypt(

BYP

LOCK

)

[FAIL] DECRYPT_FAIL // ERR: 0xB45E00

execute(

HKT

INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

GOVERNMENT



35

SAM... REGISTRY HIVE

SECURE

```
$ ./registry_hive_backup.sh --root-e...
```

execute(

BRK

NET

)

[OK] EXECUTED: 0xB1000

execute(

CRK

AUTH

)

[OK] EXECUTED: 0xEFFEC7

execute(

HKT

DATA

)

[OK] EXECUTED: 0xD3B060

decrypt(

BYP

LOCK

)

[OK] DECRYPTED // KEY: 0x5EC0DE

GOVERNMENT



30

SAM... REGISTRY HIVE

FRAGMENT

```
$ ./reg_dump.sh --ghost-protocol --d...
```

execute(

BYP

AUTH

)

[OK] EXECUTED: 0xF00D42

execute(

BRK

DATA

)

[OK] EXECUTED: 0xFACE00

execute(

CRK

INFO

)

[OK] EXECUTED: 0xB45E00

DARK WEB



20

C2 ADDRESS LIST CLASSIFIED

```
$ ./c2list.sh --neural-override --ro...
```

bypass( )
[FAIL] BYPASS_FAILED // SEGV: 0xDEA...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **DARK WEB**






25


STOLEN CREDENTIAL CAC... PROTECTED

```
$ ./creds_dump.sh --no-logging --enc...
```

execute( )
[OK] EXECUTED: 0xE5E5E5

decrypt( )
[OK] DECRYPTED // KEY: 0xF00D42

execute( )
[OK] EXECUTED: 0x00BB1E

execute( )
[OK] EXECUTED: 0xFEE000

 **DARK WEB**





10

EXCHANGE LOG FILE SECURE

```
$ ./exch_log_dump.sh --unlock-backdo...
```

execute( )
[OK] EXECUTED: 0xDA7A00

execute( )
[OK] EXECUTED: 0xA11CE0

 **FINANCIAL**





10

SCHEDULED TASK CACHE

```
$ ./sync_db.sh --quantum-tunnel --re...
```

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **FINANCIAL**





20

SQL INJECTION PAYLOAD CLASSIFIED

```
$ ./exploit_sql_injection.sh --encry...
```

execute( )
[OK] EXECUTED: 0xBEEF00

execute( )
[OK] EXECUTED: 0xFACEB0

execute( )
[OK] EXECUTED: 0xFACE42

 **DARK WEB**






10

WIRE TRANSFER LOG COPY

```
$ ./wire_transfers.sh --infinite-loo...
```

load( )
[FAIL] LOAD_ERROR // BAD_SIG: 0xDEA...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **FINANCIAL**






10

T-LINK TRANSFER PROF... SYS

```
$ ./tl_link_transfer.sh --rm-rf-vibe...
```

bypass( )
[FAIL] BYPASS_FAILED // SEGV: 0x4CC...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **FINANCIAL**






20

CREDIT CARD DUMP READ ONLY

```
$ ./extract_cards.sh --black-hat --p...
```

bypass( )
[OK] BYPASSED // ADDR: 0xD4EAD0

execute( )
[OK] EXECUTED: 0xFACE42

 **MARKET INTELLIGENCE**






15

C:\WINDOWS\SYSTEM32\... SYS

```
$ ./exfil_data.sh --rm-rf-vibes --ke...
```

load( )
[OK] LOADED // BUFFER: 0xB01CE0

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[OK] EXECUTED: 0x1CE0FF

 **MARKET INTELLIGENCE**





35

SQL INJECTION LOGS

```
$ ./sql_injection.log.sh --neural-ov...
```

execute(

BRK

DATA

)

[OK] EXECUTED: 0xD3B060

execute(

CRK

INFO

)

[OK] EXECUTED: 0xDEC0DE

execute(

>_ HKT

AUTH

)

[OK] EXECUTED: 0xBAD0ED

bypass(

↔ BYP

MEM

)

[OK] BYPASSED // ADDR: 0xC0DE77

 DARK WEB





25

TROJAN DROPPER

```
$ ./dropper.exe --recursive-nightmar...
```

decrypt(

>_ HKT

LOCK

)

[OK] DECRYPTED // KEY: 0xC0DA00

execute(

CRK

DATA

)

[OK] EXECUTED: 0xF00000

execute(

BRK

AUTH

)

[OK] EXECUTED: 0xCAFE42

execute(

↔ BYP

INFO

)

[OK] EXECUTED: 0xC0DE77

 DARK WEB





20

SCHTASKS.EXE SCHEDULE...

```
$ ./list_tasks.sh --hack-the-planet ...
```

execute(

↔ BYP

AUTH

)

[OK] EXECUTED: 0xDEFACE

execute(

↔ BYP

FILE

)

[OK] EXECUTED: 0xBAD000

execute(

CRK

INFO

)

[OK] EXECUTED: 0xC0DA00

load(

BRK

KEY

)

[OK] LOADED // BUFFER: 0xE5E5E5

 PERSONAL





10

USER.DB PASSWORD HAS...

```
$ ./extract_passwords.sh --phase-shi...
```

load(

BRK

KEY

)

[OK] LOADED // BUFFER: 0xKEY000

execute(

CRK

AUTH

)

[OK] EXECUTED: 0xFACE00

execute(

>_ HKT

DATA

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 PERSONAL





15

KEYLOGGER LOGS

```
$ ./keylog_dump.sh --recursive-night...
```

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xDEADBE

bypass(

CRK

MEM

)

[OK] BYPASSED // ADDR: 0xB0B01E

execute(

>_ HKT

INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

↔ BYP

DATA

)

[OK] EXECUTED: 0xA11CE0

 PERSONAL





15

MALWARE MODULE

```
$ ./exploit_malware.sh --encrypt-sou...
```

execute(

>_ HKT

AUTH

)

[OK] EXECUTED: 0xC0RE00

decrypt(

BRK

LOCK

)

[OK] DECRYPTED // KEY: 0xB0B000

execute(

↔ BYP

DATA

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 FINANCIAL





15

SESSION_TOKEN_LOG

```
$ ./log_session_tokens.sh --rm-rf-vi...
```

execute(

CRK

CONN

)

[OK] EXECUTED: 0xBEEF01

execute(

CRK

AUTH

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

CRK

DATA

)

[OK] EXECUTED: 0x0B5C0D

execute(

CRK

INFO

)

[OK] EXECUTED: 0xBEEF00

 PERSONAL





15

SCHTASKS.EXE SCHEDULE...

```
$ ./schtask_list.sh --hack-the-plane...
```

execute(

↔ BYP

ACC

)

[OK] EXECUTED: 0xDEFE7

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xEFFEC7

execute(

CRK

AUTH

)

[OK] EXECUTED: 0x5EC0DE

execute(

CRK

DATA

)

[OK] EXECUTED: 0xB45E00

 PERSONAL





15

WIN32/AGENT.BIFROSTE...

```
$ ./exploit_agent_bifroster.sh --pha...
```

execute(

CRK

ALPHA

)

[OK] EXECUTED: 0xKEY000

decrypt(

BRK


LOCK

)

[OK] DECRYPTED // KEY: 0xD4T400

 DARK WEB





BURNER DATA  SECURE

`$ ./burner_data.sh --rm-rf-vibes --h...`

load( )
[OK] LOADED // BUFFER: 0xBEEF01

execute( )
[OK] EXECUTED: 0xDEFACE

execute( )
[OK] EXECUTED: 0x1CE0FF

DARK WEB



MIMIKATZ.EXE SEKURLS^{VAR}

`$ ./sync_secrets.sh --rm-rf-vibes --...`

load( )
[OK] LOADED // BUFFER: 0xFEED00

execute( )
[OK] EXECUTED: 0xDEFACE

execute( )
[OK] EXECUTED: 0xC0DE42

AI INTELLIGENCE



NETBIOS SESSION TABLE^{VAR}

`$ ./netbios_session.sh --pwn-all --u...`

execute( )
[OK] EXECUTED: 0xCAFE00

execute( )
[OK] EXECUTED: 0xEFFEC7

FINANCIAL




STOCK MARKET TICK FE^{KEY}

`$ ./tickfeed_gather.sh --disable-gra...`

execute( )
[OK] EXECUTED: 0xC0C0A0

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE



SAM_ REGISTRY HIVE^{LIVE}

`$ ./reg_dump.sh --bypass-time --blac...`

execute( )
[OK] EXECUTED: 0xACC55

execute( )
[OK] EXECUTED: 0xC0FFEE

execute( )
[OK] EXECUTED: 0xC0DA00

AI INTELLIGENCE



IRC CHAT LOGS  CACHE

`$ ./irc_logs.sh --null-terminate --p...`

execute( )
[OK] EXECUTED: 0xC0C0A0

execute( )
[OK] EXECUTED: 0xD3B0B0

DARK WEB




WINLOGON.EXE HIJACK^{KEY}

`$ ./hijack_winlogon.sh --overwrite-r...`

execute( )
[OK] EXECUTED: 0xC0DE77

decrypt( )
[OK] DECRYPTED // KEY: 0xBADDED

DARK WEB



SAM_ REGISTRY HIVE^{FRAGMENT}

`$ ./reg_save_sam.sh --bypass-time --...`

execute( )
[OK] EXECUTED: 0xFEEDBA

load( )
[OK] LOADED // BUFFER: 0xDECODE

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

PERSONAL



KEYLOGGER INSTALLED^{LIVE}

`$ ./keylogger.sh --encrypt-soul --di...`

load( )
[OK] LOADED // BUFFER: 0xD0D000

execute( )
[OK] EXECUTED: 0xB5C0D

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

PERSONAL

A screenshot of a terminal window with a dark background. At the top, there's a red banner with two white icons of people wearing hard hats. To the right, a green circle contains a white icon of a person with a backpack and the number '15'. The terminal title bar at the top says 'DARK WEB'. The main content shows a command prompt '\$' followed by './backup_fragments.sh --kernel-pan...'. Below this, there are two lines of output. The first line shows 'execute(' followed by a blue button with a lightning bolt icon and the text 'CRK', then a green button with a person icon and the text 'CONN', and a closing parenthesis ')'. Below this line is '[FAIL] EXEC_FAILED // EXCEPTION: 0x...'. The second line shows 'execute(' followed by a blue button with a right-pointing arrow icon and the text 'HKT', then a green button with a database icon and the text 'DATA', and a closing parenthesis ')'. Below this line is '[FAIL] EXEC_FAILED // EXCEPTION: 0x...'. At the bottom of the terminal window, there's a red banner with a white icon of a person with a backpack and the text 'DARK WEB'. Below the terminal window, there are eight yellow rectangular blocks arranged in a row.



25

TROJAN DROPPER 

```
$ ./dropper_payload.sh --stealth-mod...
```

execute( )
[OK] EXECUTED: 0xCAFE42

load( )
[OK] LOADED // BUFFER: 0x5T4T30

execute( )
[OK] EXECUTED: 0xC0RE00

execute( )
[OK] EXECUTED: 0xM3M000

 DARK WEB






30

HEARTBEAT MONITORING 

```
$ ./heartbeat_log.sh --rm-rf-vibes -...
```

execute( )
[OK] EXECUTED: 0x00B000

load( )
[OK] LOADED // BUFFER: 0xF1E1D0

execute( )
[OK] EXECUTED: 0xC0DA00

 AI INTELLIGENCE





25

CNC BOTNET COMMANDS... 

```
$ ./botnet_ips.sh --disable-gravity ...
```

execute( )
[OK] EXECUTED: 0xCAFE42

execute( )
[OK] EXECUTED: 0xF00000

execute( )
[OK] EXECUTED: 0xBEEF00

bypass( )
[OK] BYPASSED // ADDR: 0xDEFE7

 DARK WEB





15

ORDERBOOK DUMPS NO LOG

```
$ ./update_orderbooks.sh --inject-ch...
```

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 MARKET INTELLIGENCE





15

TRANSACTION LOG NO LOG

```
$ ./extract_logs.sh --inject-chaos -...
```

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 FINANCIAL





25

SAM... REGISTRY HIVE 

```
$ ./sam_backup.sh --black-hat --fork...
```

execute( )
[OK] EXECUTED: 0xAUTH00

execute( )
[OK] EXECUTED: 0xDA7A00


execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 GOVERNMENT






25

SAM... REGISTRY HIVE 

```
$ ./extract_sam.sh --phase-shift --r...
```

execute( )
[OK] EXECUTED: 0xE5E5E5

execute( )
[OK] EXECUTED: 0xD3B060

decrypt( )
[FAIL] DECRYPT_FAIL // ERR: 0xCAFE00

execute( )
[OK] EXECUTED: 0xDEFE7

 GOVERNMENT





5

USER SESSION LOG 

```
$ ./sessionlog.sh --null-terminate -...
```

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 PERSONAL





15

ORDERBOOK DUMP NO LOG

```
$ ./dump_orderbooks.sh --pwn-all --b...
```

execute( )
[OK] EXECUTED: 0xDEAD01

execute( )
[OK] EXECUTED: 0xCAFE42

execute( )
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 MARKET INTELLIGENCE



15

SALES DATA LOG

PROTECTED

\$./sales_data_sync.sh --root-everyt...

execute(

⚡ CRK

🔒 AUTH

)

[OK] EXECUTED: 0xB45E00

execute(

➤ HKT

📁 DATA

)

[OK] EXECUTED: 0xD0D000

execute(

↩ BYP

💰 INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE

25

CVE-2023-45678 PAYLOAD

NO LOG

\$./exploit-cve_2023_45678.sh --infi...

execute(

➤ HKT

🏠 BASE

)

[OK] EXECUTED: 0x5C0FFE

bypass(

⚡ CRK

🏠 MEM

)

[FAIL] BYPASS_FAILED // SEGV: 0xD4E...

AI INTELLIGENCE

30

MSBUILD.EXE ASSEMBLY

CLASSIFIED

\$./extract_msil.sh --zero-cool --no...

decrypt(

⚡ CRK

🔒 LOCK

)

[FAIL] DECRYPT_FAIL // ERR: 0xBEEF00

execute(

➤ HKT

📁 DATA

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

AI INTELLIGENCE

25

WIN32/AGENTTESLA.DLL...

SECURE

\$./inject_backdoor.sh --black-hat -...

bypass(

🔒 BRK

🏠 MEM

)

[OK] BYPASSED // ADDR: 0xFACE42

execute(

⚡ CRK

📁 DATA

)

[OK] EXECUTED: 0xEFFEC7

execute(

➤ HKT

💰 INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

↩ BYP

🔒 AUTH

)

[OK] EXECUTED: 0xDECODE

DARK WEB

15

SMB PIPE PSEUDONYM

READ ONLY

\$./smb_pseudo.sh --unlock-backdoor ...

inject(

➤ HKT

⚙ SYS

)

[OK] INJECTED // ADDR: 0xFEE0BA

execute(

⚡ CRK

🔗 PIPE

)

[OK] EXECUTED: 0xAACE55

execute(

↩ BYP

🔒 AUTH

)

[OK] EXECUTED: 0x0FF000

MARKET INTELLIGENCE

15

USERSESSIONCACHE.DMP...

SECURE

\$./sessionsync.sh --buffer-overflow...

execute(

🔒 BRK

🔒 AUTH

)

[OK] EXECUTED: 0xBEEF01

patch(

↩ BYP

🛡 PROT

)

[FAIL] PATCH_REJECTED // SIG: 0xFEE...

bypass(

🔒 BRK

🏠 MEM

)

[OK] BYPASSED // ADDR: 0xDECODE

execute(

🔒 BRK

📁 DATA

)

[OK] EXECUTED: 0xA11CE0

PERSONAL

25

SYSMON.EXE CONFIGURATION...

LIVE

\$./sysmon_config.sh --rewrite-histo...

execute(

➤ HKT

👤 ACC

)

[OK] EXECUTED: 0xDA7A00

execute(

➤ HKT

📁 FILE

)

[OK] EXECUTED: 0xB0BB1E

execute(

⚡ CRK

🌐 NET

)

[OK] EXECUTED: 0xBEEF01

execute(

🔒 BRK

🔒 AUTH

)

[OK] EXECUTED: 0xC0DE00

GOVERNMENT

15

CVE-2023-45678 PAYLOAD

NO LOG

\$./exploit_cve_2023_45678.sh --quan...

load(

🔒 BRK

🔑 KEY

)

[OK] LOADED // BUFFER: 0xDEFE7

execute(

⚡ CRK

💰 INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE

15

CVE-2023-45678 MEMORY...

READ ONLY

\$./dmp_extract.sh --zero-cool --nul...

execute(

🔒 BRK

⚙ CORE

)

[OK] EXECUTED: 0x1CE0FF

bypass(

➤ HKT

🏠 MEM

)

[OK] BYPASSED // ADDR: 0xD3B060

FINANCIAL



35

SAM REGISTRY HIVE BACKUP

PRIMARY

```
$ ./backup_sam_hive.sh --phase-shift...
```

execute(

BRK

DATA

)

[OK] EXECUTED: 0xB01CE0

execute(

CRK

INFO

)

[OK] EXECUTED: 0xFACE00

decrypt(

HKT

LOCK

)

[OK] DECRYPTED // KEY: 0xDEFE07

execute(

BRK

ALPHA

)

[OK] EXECUTED: 0xFACE00

GOVERNMENT



30

EXPLOIT KIT CONFIGURATION

PROTECTED

```
$ ./config_exploit_kit.sh --overwrite...
```

load(

CRK

KEY

)

[OK] LOADED // BUFFER: 0xCAFE00

execute(

CRK

ALPHA

)

[OK] EXECUTED: 0xFACADE

AI INTELLIGENCE



25

CVE-2023-45678 EXPLOIT

PROTECTED

```
$ ./exploit_cve_2023_45678.sh --disable...
```

execute(

HKT

FILE

)

[OK] EXECUTED: 0xB0B000

execute(

CRK

CONN

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

AI INTELLIGENCE



15

USER CONFIG PASSWORDS

EXP

```
$ ./extract_pass.sh --zero-cool --in...
```

load(

BYP

KEY

)

[OK] LOADED // BUFFER: 0xM3M000

execute(

BRK

AUTH

)

[OK] EXECUTED: 0xBADDED

execute(

CRK

DATA

)

[OK] EXECUTED: 0xF1E1D0

execute(

BYP

BASE

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

PERSONAL



15

BACKDOOR EXE CONFIGURATION

READ ONLY

```
$ ./backdoor_config.sh --summon-demo...
```

inject(

CRK

SYS

)

[OK] INJECTED // ADDR: 0xDA7A00

execute(

CRK

INFO

)

[OK] EXECUTED: 0xC0FFEE

DARK WEB



15

WINRM COMMAND EXECUTION

LIVE

```
$ ./winrm_log_snoop.sh --black-hat -...
```

load(

BYP

KEY

)

[OK] LOADED // BUFFER: 0xDA7A00

execute(

CRK

INFO

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE



20

CVE-2023-45678 MEMORY PATCH

SYS

```
$ ./patch_mem.sh --disable-gravity -...
```

decrypt(

BYP

LOCK

)

[OK] DECRYPTED // KEY: 0xD0D000

execute(

CRK

DATA

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

HKT

INFO

)

[OK] EXECUTED: 0xFACEB0

FINANCIAL



15

SALES PIPELINE HONEY

FRAGMENT

```
$ ./pipeline_honeypot.sh --recursive...
```

execute(

BRK

AUTH

)

[OK] EXECUTED: 0x5EC0DE

execute(

HKT

DATA

)

[OK] EXECUTED: 0x5C0FFE

MARKET INTELLIGENCE



10

SQL INJECTION LOGS

PROTECTED

```
$ ./extract_sql_dump.sh --zero-cool ...
```

execute(

BRK

ACC

)

[OK] EXECUTED: 0xD3B060

execute(

HKT

DATA

)

[OK] EXECUTED: 0xFACEB0

MARKET INTELLIGENCE

15

15

RDP HIJACK LOG

SY

\$./rdp_hijack.log.sh --unlock-backd...

execute(

CRK

CONN

)
[OK] EXECUTED: 0xD4EAD0

execute(

CRK

AUTH

)
[OK] EXECUTED: 0xFACEB0

execute(

CRK

INFO

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE

20

15

SQL INJECTION LOG

LIVE

\$./inject_log.sh --encrypt-soul --u...

execute(

BYP

ACC

)
[OK] EXECUTED: 0xFEEDBA

execute(

BRK

INFO

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

MARKET INTELLIGENCE

10

10

NETSH.EXE KEYLOGGER

EXP: --

\$./keylog.sh --null-terminate --unl...

load(

BRK

KEY

)
[FAIL] LOAD_ERROR // BAD_SIG: 0xC0F...

execute(

BRK

BASE

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

FINANCIAL

15

15

MARKET INTEL ON EXPT...

EXP

\$./extract_data.sh --summon-demon -...

bypass(

CRK

MEM

)
[OK] BYPASSED // ADDR: 0xBEEF00

execute(

HKT

INFO

)
[OK] EXECUTED: 0xFACE42

execute(

BYP

DATA

)
[OK] EXECUTED: 0xFACEB0

MARKET INTELLIGENCE

15

15

P2P NETWORK NODE LIST

PROTECTED

\$./node_list.sh --fork-bomb --stack...

execute(

CRK

PIPE

)
[OK] EXECUTED: 0xBEEFED

execute(

BRK

DATA

)
[OK] EXECUTED: 0xFEEDBA

DARK WEB

40

15

AI MODEL PARAMETERS

COPY

\$./export_model.sh --black-hat --ze...

execute(

BYP

DATA

)
[OK] EXECUTED: 0xKEY000

execute(

BYP

INFO

)
[OK] EXECUTED: 0xDEADBE

execute(

BYP

AUTH

)
[OK] EXECUTED: 0x4CCE55

AI INTELLIGENCE

35

15

WINLOGON SESSION TO...

BINARY

\$./session_token_extract.sh --bypas...

execute(

BRK

INFO

)
[OK] EXECUTED: 0xC0RE00

execute(

CRK

AUTH

)
[OK] EXECUTED: 0xA11CE0

execute(

HKT

DATA

)
[OK] EXECUTED: 0x5C0FFE

AI INTELLIGENCE

25

15

SAM... REGISTRY HIVE

COPY

\$./sam_sync.sh --rewrite-history --...

execute(

HKT

AUTH

)
[OK] EXECUTED: 0xEFFEC7

execute(

HKT

CORE

)
[OK] EXECUTED: 0xC0RE00

bypass(

CRK

MEM

)
[FAIL] BYPASS_FAILED // SEGV: 0xDEF...

execute(

BRK

INFO

)
[OK] EXECUTED: 0xDEFE7

GOVERNMENT

25

15

C2 ADDRESS LIST

NO LOG

\$./c2_list.sh --overwrite-reality -...

execute(

HKT

ALPHA

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

CRK

INFO

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(

BRK

DATA

)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

bypass(

BYP

MEM

)
[FAIL] BYPASS_FAILED // SEGV: 0xC0R...

DARK WEB



20

SAM... REGISTRY HIVE ENC

```
$ ./sam_backup.sh --summon-demon --p...
```

>_ HKT

⚙️ SYS

[OK] INJECTED // ADDR: 0xC0DA00

⚡ CRK

📁 DATA

[OK] EXECUTED: 0x5EC0DE

🔒 BRK

💰 INFO

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

↔️ BYP

🏠 MEM

[OK] BYPASSED // ADDR: 0xB0BB1E

 **DARK WEB**



5

SAM... REGISTRY HIVE BINARY

```
$ ./view_sam_hive.sh --overwrite-rea...
```

>_ HKT

🔒 AUTH

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

🔒 BRK

🏠 MEM

[FAIL] BYPASS_FAILED // SEGV: 0xBEE...

 **PERSONAL**



35

SAM REGISTRY HIVE BAC... CLASSIFIED

```
$ ./sam_.bak_extract.sh --neural-ov...
```

🔒 BRK

🏠 BASE

[OK] EXECUTED: 0xDEAD01

⚡ CRK

🔒 AUTH

[OK] EXECUTED: 0xA11CE0

>_ HKT

🔌 CONN

[OK] EXECUTED: 0xDEAD01

↔️ BYP

💰 INFO

[OK] EXECUTED: 0xC0RE00

 **GOVERNMENT**



15

KEYLOGGER LOGS LIVE

```
$ ./keylog_dump.sh --infinite-loop -...
```

⚡ CRK

👤 ACC

[OK] EXECUTED: 0xF1E1D0

>_ HKT

💰 INFO

[OK] EXECUTED: 0xC0DE42

🔒 BRK

📁 DATA

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

↔️ BYP

🔒 LOCK

[OK] DECRYPTED // KEY: 0xBADDED

 **PERSONAL**



20

USER CREDENTIALS BAC... SYS

```
$ ./backup_creds.sh --hack-the-plane...
```

↔️ BYP

⚙️ CORE

[OK] EXECUTED: 0xDEADBE

⚡ CRK

🔑 KEY

[OK] LOADED // BUFFER: 0xF00D00

>_ HKT

🔒 AUTH

[OK] EXECUTED: 0xDEFE07

🔒 BRK

📁 DATA

[OK] EXECUTED: 0xFEED00

 **PERSONAL**



20

CHAT LOGS CACHE NO LOG

```
$ ./cache_logs.sh --black-hat --null...
```

↔️ BYP

🏠 NET

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

🔒 BRK

📁 DATA

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

⚡ CRK

💰 INFO

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

>_ HKT

🔒 AUTH

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **PERSONAL**



15

SAM... REGISTRY HIVE FRAGMENT

```
$ ./sam_backup.sh --recursive-nightm...
```

⚡ CRK

🔑 KEY

[OK] LOADED // BUFFER: 0xFEEDBA

🔒 BRK

💰 INFO

[OK] EXECUTED: 0xKEY000

>_ HKT

📁 DATA

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

↔️ BYP

🔒 AUTH

[OK] EXECUTED: 0xC0FFEE

 **PERSONAL**



30

C:\WINDOWS\SYSTEM32\I... ENC

```
$ ./update_iis_schema.sh --no-loggin...
```

🔒 BRK

🔒 LOCK

[OK] DECRYPTED // KEY: 0xB5C0D

⚡ CRK

🔒 AUTH

[OK] EXECUTED: 0xBEEF01

⚡ CRK

💰 INFO

[OK] EXECUTED: 0xCAFE00

⚡ CRK

📁 FILE

[OK] EXECUTED: 0xCAFE42

 **GOVERNMENT**



25

STOLEN CREDENTIAL CAC... NO LOG

```
$ ./fetch_creds.sh --phase-shift --r...
```

>_ HKT

🔒 AUTH

[OK] EXECUTED: 0xACC055

⚡ CRK

🔑 KEY

[OK] LOADED // BUFFER: 0xC0DE42

🔒 BRK

🔒 LOCK

[OK] DECRYPTED // KEY: 0xA11CE0

>_ HKT

🛡️ PROT

[OK] PATCHED // ADDR: 0xEFF0C7

 **GOVERNMENT**



USERPROFILE.DAT BACKUP CLASSIFIED

```
$ ./backup_userprofiles.sh --fork-bo...
```

patch(





[FAIL] PATCH_REJECTED // SIG: 0x0FF...

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **PERSONAL**





EXCHANGE LOG DUMP BINARY

```
$ ./exchange_logs_dump.sh --overwrit...
```

execute(





[OK] EXECUTED: 0xM3M000

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(





[OK] EXECUTED: 0x5T4T30

 **FINANCIAL**





T-SQL STORED PROCEDURE KEY

```
$ ./sql_sp_checker.sh --disable-grav...
```

execute(





[OK] EXECUTED: 0xF00D42

bypass(





[OK] BYPASSED // ADDR: 0xDA7A00

execute(





[OK] EXECUTED: 0x1CE0FF

 **AI INTELLIGENCE**





STOCK MARKET FEED >_ SYS

```
$ ./fetch_market_data.sh --neural-ov...
```

execute(





[OK] EXECUTED: 0xFACE42

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute(





[OK] EXECUTED: 0x0B5C00

 **MARKET INTELLIGENCE**





SAM_ REGISTRY HIVE NO LOG

```
$ ./backup_reg.sh --stealth-mode --r...
```

execute(





[OK] EXECUTED: 0xBEEF01

execute(





[OK] EXECUTED: 0x00B000

execute(





[OK] EXECUTED: 0xDEAD00

 **GOVERNMENT**





SAM_ REGISTRY HIVE PROTECTED

```
$ ./parse_sam.sh --deep-dive --kerne...
```

execute(





[OK] EXECUTED: 0xEFEF07

execute(





[OK] EXECUTED: 0x5T4T30

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **GOVERNMENT**





KERBEROS.KEYTAB BACK... EXP

```
$ ./backup_krb.sh --stack-smash --in...
```

load(





[OK] LOADED // BUFFER: 0xFEEBDA

inject(





[OK] INJECTED // ADDR: 0xDEFEF7

execute(





[OK] EXECUTED: 0xB45E00

 **AI INTELLIGENCE**





SERVER CONNECTION LOG BINARY

```
$ ./conn_log_filter.sh --buffer-over...
```

execute(





[OK] EXECUTED: 0xB01CE0

execute(





[OK] EXECUTED: 0xDEFACE

execute(





[OK] EXECUTED: 0xD4EAD0

 **MARKET INTELLIGENCE**





BANK_TRANSFER_LOG.TXT ACTIVE

```
$ ./transfer_logs.sh --null-terminat...
```

load(





[OK] LOADED // BUFFER: 0xBADDED

execute(





[OK] EXECUTED: 0xB1T000

execute(





[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 **FINANCIAL**





25

PROCESS HOLLOW

`$ ./hollow_process.sh --bypass-time ...`

execute( CRK  CORE)
[OK] EXECUTED: 0xFACADE

decrypt( BRK  LOCK)
[OK] DECRYPTED // KEY: 0xC0DA00

execute( HKT  INFO)
[OK] EXECUTED: 0x5T4T30

 GOVERNMENT





15

WIRE TRANSFER LOG

`$ ./process_wire_transfers.sh --phas...`

execute( BYP  BASE)
[OK] EXECUTED: 0xC0DA00

execute( CRK  INFO)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( CRK  DATA)
[OK] EXECUTED: 0xD0D000

 FINANCIAL





40

SAM REGISTRY HIVE BACKUP

`$ ./sam_backup.sh --null-terminate ...`

execute( CRK  AUTH)
[OK] EXECUTED: 0x5C0FFE

inject( BRK  SYS)
[OK] INJECTED // ADDR: 0xB1T000

execute( HKT  INFO)
[OK] EXECUTED: 0xFEEDBA

 AI INTELLIGENCE





10

PAYROLL EXTRACT

`$ ./extract_payroll.sh --no-logging ...`

execute( HKT  ACC)
[OK] EXECUTED: 0xCAFE42

execute( CRK  INFO)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

decrypt( BRK  LOCK)
[OK] DECRYPTED // KEY: 0xF1E1D0

 FINANCIAL





15

MARKET INTEL

`$ ./market_intelligence_export.sh ...`

execute( HKT  PIPE)
[OK] EXECUTED: 0xFF000

execute( CRK  AUTH)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( BRK  INFO)
[OK] EXECUTED: 0xDEADBE

 MARKET INTELLIGENCE





15

TRADE SECRETS LOG

`$ ./tradesec_export.sh --encrypt-sou...`

execute( HKT  INFO)
[OK] EXECUTED: 0xCAFE42

execute( CRK  AUTH)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

execute( BRK  DATA)
[OK] EXECUTED: 0xA11CE0

 MARKET INTELLIGENCE





25

SAM REGISTRY HIVE EXTRACT

`$ ./registry_hive_extractor.sh --dis...`

patch( CRK  PROT)
[OK] PATCHED // ADDR: 0xB1T000

execute( HKT  AUTH)
[OK] EXECUTED: 0xC0FFEE

execute( BRK  FILE)
[FAIL] EXEC_FAILED // EXCEPTION: 0x...

 GOVERNMENT





20

TRANSACTION LOG CACHE

`$ ./extract_trans_log.sh --rewrite-h...`

execute( BYP  CORE)
[OK] EXECUTED: 0xDA7A00

execute( BRK  DATA)
[OK] EXECUTED: 0xC0FFEE

execute( CRK  INFO)
[OK] EXECUTED: 0xB0B000

 FINANCIAL





10

CREDIT CARD DATA DUMP

`$ ./extract_cc_data.sh --overwrite-r...`

execute( BRK  FILE)
[OK] EXECUTED: 0xBEEFED

execute( CRK  INFO)
[OK] EXECUTED: 0xBEEF01

 FINANCIAL



5

USER SESSION LOG

`$ ./session_logger.sh --null-termina...`

bypass(

>_ HKT

MEM

)

[FAIL] BYPASS_FAILED // SEGV: 0x0B5...

execute(

CRK

AUTH

)

[FAIL] EXEC_FAILED // EXCEPTION: 0x...

PERSONAL

25

CNTRBLDR_EXPLOIT

`$ ./exploit_container.sh --zero-cool...`

execute(

>_ HKT

CORE

)

[OK] EXECUTED: 0xFEEDBA

execute(

CRK

DATA

)

[OK] EXECUTED: 0xDEFACE

AI INTELLIGENCE